

MR1957-1151
Serial Number: 10/032,505
Reply to Office Action dated 25 August 2005

RECEIVED
CENTRAL FAX CENTER
NOV 25 2005

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listing of claims in the application:

LISTING OF CLAIMS:

1. (Currently amended) An image scanning module, comprising:
 - a first unit for retrieving a first image;
 - a second unit for generating a second image by focusing said first image, said second unit including:
 - a lens;
 - a lens supporter for supporting said lens;
 - a lens clip for affixing said lens on said lens supporter;
 - at least a reflector positioned inside said lens supporter for receiving said first image and projecting said first image to said lens to generate said second image;
 - a mounting device for mounting said reflector; and
 - a first alignment device for adjusting a focus of said lens; and
 - a third unit for generating an electric signal responsive to said second image, said first alignment device being positioned between said lens and said third unit;

MR1957-1151

Serial Number: 10/032,505

Reply to Office Action dated 25 August 2005

wherein said first unit, said second unit, and said third unit are modules discrete from each other.

2. (Cancelled).

3. (Cancelled).

4. (Currently amended) The image scanning module according to claim [[3]] 1, wherein said third unit comprising:

a charge-coupled device (CCD) for retrieving said second image to generate said electric signal;

a second alignment device; and

a third alignment device, being positioned between said CCD and said second alignment device, for horizontally adjusting said focus of said lens;

wherein said second alignment device is positioned between said first alignment device and said third alignment device, for vertically adjusting said focus of said lens.

MR1957-1151

Serial Number: 10/032,505

Reply to Office Action dated 25 August 2005

5. (Original) The image scanning module according to claim 4, wherein said third alignment device positions said CCD and prevents said second image from dissipation, so as to transfer said second image to said CCD substantially without loss.